

## Antreibfittings/Push on Fittings

### WBC Serie/Series



#### Bestellnummer/Ordering Code

<b>1</b>	<b>BC</b>	<b>8</b>	<b>-</b>	<b>01</b>	<b>-</b>	<b>*</b>	<b>-</b>	<b>*</b>
<b>(1)</b>	<b>(2)</b>	<b>(3)</b>	<b>(4)</b>	<b>(5)</b>	<b>(6)</b>			

- (1) FITTINGS
- (2) ANTREIBFITTINGS MODEL/PUSH ON FITTINGS MODEL  
BZL IST KEIN DREH WINKEL TYP/BZL WON'T BE SWIEL ELBOW TYPE
- (3) AUSSEN ROHR DIA/ TUBE OUTER DIA

Code	4	6	8	10	12
AUSSEN ROHR DIA /TUBE OUTER DIAMETER	mm φ4	φ6	φ8	φ10	φ12

#### (4) GEWINDETYP UND GRÖSSE/THREAD TYPE AND SIZE 55° Kege Rohrgewinde/Taper Pipe Thread

Code	01	02	03	04	06
AUSSEN ROHR DIA /TUBE OUTER DIAMETER	mm R1/8	R1/4	R3/8	R1/2	R3/4

#### 55° G- Gewinde/Thread

Code	G01	G02	G03	G04	G06
AUSSEN ROHR DIA /TUBE OUTER DIAMETER	mm G1/8	G1/4	R3/8	G1/2	G3/4

#### METRISCHE GRÖSSE/METRIC SIZE

M5, M10X1

DIE METHODE VON METRISCHEM GEWINDE/

THE METHOD OF METRIC THREAD, EX:M5, M10X1

(5) DIE SPEZIFIKATION DES DRUCKROHRES I.D.RECHT AUF DAS BILD RECHTS/

THE SPECIFICATION OF PUSHING TUBE I.D.REFER TO THE PICTURE AT RIGHT

(6) BEFESTIGTE DAS GEWINDE DES /ATTACHED THE THREAD OF PUSH ON FITTING

#### Product Specifications/Product Specifications

Code	Leer/ Blank	A	B
4	4x2.5		
6	6x4		
8	8x6	8X5	
10	10x8	10X6.5	
12	12x10	12X8	12X9

#### Dimension

MODEL	φD	R	L1	L	1	2
WBC04-M5	4	M5	3.5	17	8	
WBC04-M6	4	M6	4	17	8	
WBC04-01	4	R1/8	7.5	20.5	10	
WBC04-02	4	R1/4	9.5	23	14	
WBC06-01	6	R1/8	7.5	23	10	8
WBC06-02	6	R1/4	9.5	25.5	14	8
WBC06-03	6	R3/8	10.5	27	17	8
WBC08-01	8	R1/8	7.5	25.5	12	12
WBC08-02	8	R1/4	9.5	27.5	14	12
WBC08-03	8	R3/8	10.5	28.5	17	12
WBC10-02	10	R1/4	9.5	30	14	13
WBC10-03	10	R3/8	10.5	31	17	13
WBC10-04	10	R1/2	13.5	34.5	21	13
WBC12-02	12	R1/4	9.5	28	17	15
WBC12-03	12	R3/8	10.5	29.5	17	15
WBC12-04	12	R1/2	13.5	32.5	21	15

